

MERCURY OUTBOARD BEARING & PROP SHAFT APPLICATION

Model	Serial Number	Driveshaft	Pinion	Fwd Gear Inner	Fwd Gear Outer	Rev Gear	Rev Gear	Propshaft
35 (2 Cyl)	6445653 - & Up	—	—	—	*18-1162	—	N/A	—
350	1960827 - 2874703	—	—	—	*18-1162	—	N/A	—
400 (2 Cyl)	2874704 - 3336257	—	—	—	*18-1162	—	N/A	—
402	3336258 - 4117709	—	—	—	*18-1162	—	N/A	—
402	4117710 - 4860102	—	—	—	*18-1162	—	N/A	—
402 / 40 (2 Cyl)	4860103 - 5556229	—	—	—	*18-1162	—	N/A	—
40 (2 Cyl)	5556230 - G053313	—	—	—	*18-1162	—	N/A	—
40 (4 Cyl)	C159200 & Up	—	—	—	*18-1162	—	N/A	—
45 (4 Cyl)	5531630 & Up	—	—	—	*18-1162	—	N/A	—
500	2305101 - 2858813	—	—	—	*18-1162	—	N/A	—
500	2858814 - 4140999	—	—	—	*18-1162	—	N/A	—
500	4141000 - 4357639	—	—	—	*18-1162	—	N/A	—
500 / 50	4357640 - 4962055	—	—	—	*18-1162	—	N/A	—
500 / 50	4962056 - 5531629	—	—	—	*18-1162	—	N/A	—
50 (4 Cyl)	5531630 & Up	—	—	—	*18-1162	—	N/A	—
50 (3 Cyl)	6428681 & Up	—	—	—	*18-1162	—	N/A	—
60 (3 Cyl)	6428681 & Up	—	—	—	*18-1162	—	N/A	—
650 (4 Cyl)	1542745 - 1765403	205	—	18-1157	18-1156	—	N/A	18-1158
650 (4 Cyl)	2119749 - 2309310	205	—	18-1157	18-1156	—	N/A	18-1158
650 (4 Cyl)	2309311 - 2452709	205	—	18-1157	18-1156	—	N/A	18-1158
650 (4 Cyl)	2503991 - 2803561	205	—	18-1157	18-1156	—	N/A	18-1158
650 (4 Cyl)	2803562 - 2874263	—	—	18-1157	18-1156	—	N/A	18-1158
650 (4 Cyl)	2997339 & Up	—	—	18-1157	18-1156	—	N/A	18-1158
650 (3 Cyl)	3293184 - 3525440	—	—	—	*18-1162	—	N/A	—
650 (3 Cyl)	3547987 - 4571651	—	—	—	*18-1162	—	N/A	—
70 (3 Cyl)	4571652 - 4977156	—	—	—	*18-1162	—	N/A	—
70 (3 Cyl)	4977157 - 5579016	—	—	—	*18-1162	—	N/A	—
70 (3 Cyl)	5579017 - 6428680	—	—	—	*18-1162	—	N/A	—
70 (3 Cyl)	A996142 - & Up	18-1118	N/A	18-1157	18-1156	18-1113	18-1112	18-1158
75 (4 Cyl)	6432901 & Up	18-1121	—	18-1157	18-1156	N/A	N/A	18-1158
75 (3 Cyl)	A996142 - & Up	18-1118	N/A	18-1157	18-1156	18-1113	18-1112	18-1158
800 (4 Cyl)	2559001 - 3144218	18-1153	—	18-1157	18-1156	—	N/A	18-1158
800 (4 Cyl)	3144219 - 3493912	—	—	18-1157	18-1156	—	N/A	18-1158
80 (4 Cyl)	4831999 - 6432900	18-1121	—	18-1157	18-1156	N/A	N/A	18-1158
80 (3 Cyl)	A996142 & Up	18-1118	N/A	18-1157	18-1156	18-1113	18-1112	18-1158
850 (4 Cyl)	3493913 - 4831998	—	—	18-1157	18-1156	—	N/A	18-1158

① Standard Rotation Only.

② For Units With A Casting Number Of 1655-9572C Only.

③ For Units With A Casting Number Of 1674-814247C Only.

④ Two Bearings Required.

⑤ For 5/8 Dual Bearing Application.

⑥ Use 18-1155 For Counter Rotation Applications.

⑦ For Counter Rotation Use 18-1114.

* Speical Order Part



MERCURY OUTBOARD BEARING APPLICATION

Model	Serial Number	Driveshaft	Pinion	Fwd Gear Inner	Fwd Gear Outer	Rev Gear	Rev Gear	Propshaft
900 (6 Cyl)	1766824 - 1869775	205	—	18-1157	18-1156	—	N/A	18-1158
900 / 90 (6 Cyl)	4845301 - & Up	18-1121	—	18-1157	18-1156	N/A	N/A	18-1158
90 (3 Cyl)	A996142 & Up	18-1118	N/A	18-1157	18-1156	18-1113	18-1112	18-1158
100 (4 Cyl)	B209468 - & Up	18-1118	N/A	18-1157	18-1156	18-1113	18-1112	18-1158
1150	2836019 - 2933900	205	—	18-1157	18-1156	—	N/A	18-1158
1150	2933901 - 3525440	205	—	18-1157	18-1156	—	N/A	18-1158
1150	3525441 - 4112634	205	—	18-1157	18-1156	—	N/A	18-1158
1150	4112635 - 4855152	18-1121	—	18-1157	18-1156	—	N/A	18-1158
1150 / 115	4855153 - 5314655	18-1121	—	18-1157	18-1156	N/A	N/A	18-1158
115 (6 Cyl)	5314656 - 5600966	18-1121	—	18-1157	18-1156	N/A	N/A	18-1158
115 (6 Cyl)	5600967 - 6436122	18-1121	—	18-1157	18-1156	N/A	N/A	18-1158
115 (6 Cyl)	6436123 & Up	18-1121	—	18-1157	18-1156	N/A	N/A	18-1158
115 / 125 (4 Cyl)	C100000 & Up	18-1118	N/A	18-1157	18-1156	18-1113	18-1112	18-1158
1250	2314956 - 2839368	205	—	18-1157	18-1156	—	N/A	18-1158
1350	2839369 - 2940020	205	—	18-1157	18-1156	—	N/A	18-1158
1350	2940021 - 3293233	205	—	18-1157	18-1156	—	N/A	18-1158
1400	3293234 - 3502805	205	—	18-1157	18-1156	—	N/A	18-1158
140	4865687 & Up	18-1121	—	18-1157	18-1156	N/A	N/A	18-1158
1500	3502806 - 4121434	205	—	18-1157	18-1156	—	N/A	18-1158
1500	4121435 - 4865677	18-1121	—	18-1157	18-1156	—	N/A	18-1158
V-135	A904646 & Up	18-1143	18-1117	18-1122④	9-75110	18-1155	N/A	18-1158
V-135	C100861 & Up	18-1143	18-1117	18-1122①④⑦	9-75110①⑥	18-1155①	N/A	18-1158
V-135	C239553 & Up	18-1143	18-1117	18-1122①⑤⑦	9-75110①⑥	18-1155①	N/A	18-1158
V-135	D082000 & Up	18-1143	18-1117	18-1115①⑦	9-75110①⑥	18-1155①	N/A	18-1158
V-150	4868998 - 5432021	18-1108	—	18-1122④	9-75110	18-1155	N/A	18-1158
V-150	5432022 - 6042945	18-1108	—	18-1122④	9-75110	18-1155	N/A	18-1158
V-150	6042946 - 6443212	18-1108	—	18-1122④	9-75110	18-1155	N/A	18-1158
V-150	6443213 - 6616990	18-1108	—	18-1122④	9-75110	18-1155	N/A	18-1158
V-150	6616991 - A904645	18-1108	—	18-1122④	9-75110	18-1155	N/A	18-1158
V-150	A904646 & Up	18-1143	18-1117	18-1122④	9-75110	18-1155	N/A	18-1158
V-150	C100861 & Up	18-1143	18-1117	18-1122①④⑦	9-75110①	18-1155	N/A	18-1158
V-150	C239553 & Up	18-1143	18-1117	18-1122①④⑦	9-75110①⑥	18-1155①	N/A	18-1158
V-150	D082000 & Up	18-1143	18-1117	18-1115①⑦	9-75110①⑥	18-1155①	N/A	18-1158
V-150XRI (EFI)	D082000 & Up	18-1143	—	18-1157	18-1156①	N/A	N/A	18-1158
V-150XRI (EFI)	D082000 & Up	18-1143	18-1117	18-1115①④⑦	9-75110jo	18-1155①	N/A	18-1158
V-150XRI (EFI)	D082000 & Up	18-1143	18-1117	18-1115①④⑦	9-75110jo	18-1155①	N/A	18-1158

① Standard Rotation Only.

② For Units With A Casting Number Of 1655-9572C Only.

③ For Units With A Casting Number Of 1674-814247C Only.

④ Two Bearings Required.

⑤ For 5/8 Dual Bearing Application.

⑥ Use 18-1155 For Counter Rotation Applications.

⑦ For Counter Rotation Use 18-1114.

Chrysler
Force

Honda

Johnson
Evinrude

Mercury

Suzuki

Tohatsu

Yamaha

Rigging &
Shop Supplies

MERCURY OUTBOARD BEARING APPLICATION

Model	Serial Number	Driveshaft	Pinion	Fwd Gear Inner	Fwd Gear Outer	Rev Gear	Rev Gear	Propshaft
V-175	4301235 - 5393736	18-1108	—	18-1122⓪	9-75110	18-1155	N/A	18-1158
V-175	5393737 - 6618750	18-1108	—	18-1122⓪	9-75110	18-1155	N/A	18-1158
V-175	6618751 & Up	18-1143	18-1117	18-1122⓪	9-75110	18-1155	N/A	18-1158
V-175	C100861 & Up	18-1143	18-1117	18-1122⓪④⑦	9-75110⓪⑥	18-1155⓪	N/A	18-1158
V-175	C239553 & Up	18-1143	18-1117	18-1122⓪⑤⑦	9-75110⓪⑥	18-1155⓪	N/A	18-1158
V-175	D082000 & Up	18-1143	18-1117	18-1115⓪⑦	9-75110⓪⑥	18-1155⓪	N/A	18-1158
V-175XRI (EFI)	D000750 & Up	18-1143	18-1117	18-1122⓪⑤	9-75110	18-1155	N/A	18-1158
V-175XRI (EFI)	D000750 & Up	18-1143	18-1117	18-1122⓪⑤	9-75110	18-1155	N/A	18-1158
V-175XRI (EFI)	D082000 & Up	18-1143	—	18-1157	18-1156⓪	N/A	N/A	18-1158
V-175XRI (EFI)	D082000 & Up	18-1143	18-1117	18-1115⓪④⑦	9-75110⓪⑥	18-1155⓪	N/A	18-1158
V-175XRI (EFI)	D082000 & Up	18-1143	18-1117	18-1115⓪④⑦	9-75110⓪⑥	18-1155⓪	N/A	18-1158
V-200	4839034 - 5363917	18-1108	—	18-1122⓪	9-75110	18-1155	N/A	18-1158
V-200	5363918 - 6073191	18-1108	—	18-1122⓪	9-75110	18-1155	N/A	18-1158
V-200	6073192 - 6203990	18-1108	—	18-1122⓪	9-75110	18-1155	N/A	18-1158
V-200	6203991 - 6435502	18-1108	—	18-1122⓪	9-75110	18-1155	N/A	18-1158
V-200	6435503 - 6625220	18-1108	—	18-1122⓪	9-75110	18-1155	N/A	18-1158
V-200	6625221 - C100860	18-1143	18-1117	18-1122⓪	9-75110	18-1155	N/A	18-1158
V-200 / V-200 (EFI)	C100861 - C291519	18-1143	18-1117	18-1122⓪	9-75110	18-1155	N/A	18-1158
V-200 (2.5L)	C291520 - D081999	18-1143	18-1117	18-1122⓪⑤⑦	9-75110⓪⑥	18-1155⓪	N/A	18-1158
V-200	D082000 & Up	18-1143	18-1117	18-1115⓪⑦	9-75110⓪⑥	18-1155⓪	N/A	18-1158
V-200XRI (EFI)	C291520 & Up	18-1143	18-1117	18-1122⓪	9-75110	18-1155	N/A	18-1158
V-200XRI (EFI)	D082000 & Up	18-1143	—	18-1157	18-1156⓪	N/A	N/A	18-1158
V-200XRI (EFI)	D082000 & Up	18-1143	18-1117	18-1115⓪④⑦	9-75110⓪⑥	18-1155⓪	N/A	18-1158
V-200XRI (EFI)	D082000 & Up	18-1143	18-1117	18-1115⓪④⑥	9-75110⓪⑥	18-1155⓪	N/A	18-1158
V-220	B117316 & Up	18-1143	18-1117	18-1122⓪	9-75110	18-1155	N/A	18-1158
V-225	5628028 & Up	18-1108	—	18-1122⓪	9-75110	18-1155	N/A	18-1158
225	D280813 & Up	18-1143	18-1117	18-1157⓪⑦	18-1159⓪	18-1155⓪	N/A	18-1158
XR-4	B242885 & Up②	18-1143	—	18-1157	18-1156	N/A	N/A	18-1158
XR-4	B242885 & Up	18-1143	—	18-1157	18-1156	N/A	N/A	18-1158
XR-4②	C100861 & Up	18-1143	—	18-1157	18-1156	N/A	N/A	18-1158
XR-4③	C100861 & Up	18-1143	—	18-1157	18-1156	N/A	N/A	18-1158
XR-4	C239553 & Up	18-1143	—	18-1157	18-1156	N/A	N/A	18-1158
XR-6	D082000 & Up	18-1143	—	18-1157	18-1156	N/A	N/A	18-1158

① Standard Rotation Only.

② For Units With A Casting Number Of 1655-9572C Only.

③ For Units With A Casting Number Of 1674-814247C Only.

④ Two Bearings Required.

⑤ For 5/8 Dual Bearing Application.

⑥ Use 18-1155 For Counter Rotation Applications.

⑦ For Counter Rotation Use 18-1114.

**11080**

Bearing Carrier Key 1 Pk
MC I R/MR/Alpha I Gen II Bravo
1967-Up / Mercury 50-300hp

Cross Ref #:

28-30281,

\$0.70 DL42R